#### GENERAL NOTES

- 1. SURVEY INFORMATION SHOWN IS BASED ON TOPOGRAPHIC AND UTILITY SURVEY PERFORMED OCTOBER 2008 BY CONTROL POINT ASSOCIATES. ELEVATIONS SHOWN ARE REFERRED TO NGVD 1929. ALL VALUES SHOWN ARE IN ENGLISH UNITS. EXISTING UNDERGROUND UTILITIES, AS SHOWN ON THIS DRAWING, HAVE BEEN DETERMINED BY STANDARD SURVEY METHODS AND AVAILABLE UTILITY RECORDS. NEITHER THE EXACT LOCATION NOR THE INFORMATION GIVEN FOR THESE EXISTING UTILITIES IS GUARANTEED TO BE COMPLETE OR CORRECT.
- 2. THE EXISTING UTILITIES SHOWN ON THE SURVEY WERE TAKEN FROM THE BEST AVAILABLE INFORMATION AND ARE NOT GUARANTEED TO BE ACCURATE. FIELD CONDITIONS MAY VARY. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO CONTACT THE LOCAL UTILITY COMPANIES THAT HAVE SUBSURFACE INSTALLATIONS IN THE AREA OF WORK FOR THIS CONTRACT AND DIRECT THEM TO HAVE THEIR FACILITIES MARKED OUT PRIOR TO COMMENCING WORK.
- 3. CONTRACTOR TO REFER TO THE GEOTECHNICAL INVESTIGATION REPORTS DATED NOVEMBER 6, 2008 PREPARED BY MELICK-TULLEY AND ASSOCIATES, P.C., FOR INFORMATION ON SUBSURFACE SOIL CONDITIONS.
- 4. SITE EXCAVATION: ALL EXCAVATED SOIL SHALL BE STOCKPILED IN CONFORMANCE WITH THE EROSION AND SEDIMENT CONTROL DETAILS. ALL NYSDEC AND USEPA REGULATIONS FOR REMOVAL OF CONTROLLED FILL SHALL BE ADHERED TO.
- 5. CONTRACTOR TO INSTALL TEMPORARY SITE CONSTRUCTION FENCE AROUND PERIMETER OF WORK AREA PRIOR TO START OF CONSTRUCTION.
- 6. SITE SHALL BE WATERED DOWN DURING CONSTRUCTION TO MINIMIZE DUST. THIS ACTIVITY SHALL BE PERFORMED BY THE
- 7. ALL DEMOLITION, GRADING, AND TREE REMOVAL PROCEDURES, PERMITS AND APPROVALS SHALL BE IN ACCORDANCE WITH NYSDEC

REMAIN IN PLACE. ALL UNSUITABLE MATERIAL, CONSTRUCTION DEBRIS, ETC. SHALL BE PROPERLY REMOVED AND DISPOSED OF

- AND/OR OTHER APPROPRIATE AUTHORIZING AGENCIES AND ARE THE RESPONSIBILITY OF THE CONTRACTOR.

  8. THE CONTRACTOR IS TO EXERCISE EXTREME CASE WHEN PERFORMING ANY WORK ACTIVITIES ADJACENT TO BUILDING WALLS, TO
- OFF-SITE IN ACCORDANCE WITH ALL APPLICABLE CODES, ORDINANCES AND LAWS.

  9. THE CONTRACTOR SHALL PRESERVE ALL NATURAL SITE FEATURES. AS LITTLE VEGETATIVE COVER SHALL BE REMOVED AS NECESSARY.
- ANY DISTURBED AREA SHALL BE IMMEDIATELY STABILIZED BY ROLLED EROSION CONTROL PRODUCT.

  10. ALL EXISTING TREES AND VEGETATION TO REMAIN SHALL BE PROTECTED BY THE CONTRACTOR. ANY DAMAGED TREES AND/OR
- 11. THE CONTRACTOR SHALL TAKE APPROPRIATE MEASURES TO ENSURE THE SAFETY OF HIS EMPLOYEES AND GENERAL PUBLIC, STRUCTURAL/SITE FEATURES TO REMAIN, ADJACENT PROPERTIES & PUBLIC RIGHT-OF-WAY'S DURING ALL CONSTRUCTION AND REMOVAL ACTIVITIES IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL CODES AND REGULATIONS. THE OWNER AND PROJECT ENGINEER ASSUME NO RESPONSIBILITIES FOR THE CONTRACTOR'S SAFETY PROGRAM AND PROCEDURES IN CONNECTION WITH THE
- 12. PRIOR TO THE ISSUANCE OF A CERTIFICATE OF OCCUPANCY BY THE BUILDING INSPECTOR, AN "AS-BUILT" PLAN SHOWING THE INSTALLED AND COMPLETED IMPROVEMENTS (ABOVE AND BELOW GRADE), CERTIFIED BY A NEW YORK STATE LICENSED LAND SURVEYOR SHALL BE PREPARED AT THE SOLE EXPENSE OF THE CONTRACTOR. SAID AS-BUILT PLAN SHALL BE PROVIDED TO THE BUILDING INSPECTOR AND PROJECT ENGINEER DOCUMENTING SATISFACTORY COMPLETION OF ALL APPROVED AND AUTHORIZED CONSTRUCTION ACTIVITIES AND ZONING COMPLIANCE.
- 13. WETLAND BOUNDARY DELINEATED BY KELLARD SESSIONS CONSULTING, P.C. BASED ON SITE VISIT DATED DECEMBER 23, 2010. WETLAND BOUNDARY TO BE FIELD VERIFIED AND SURVEY LOCATED IN THE SPRING 2011.

# **DEMOLITION NOTES**

WORK.

1. CONTRACTOR TO FIELD-VERIFY ALL REMOVAL QUANTITIES

CONTRACTOR AS DEEMED NECESSARY BY THE ENGINEER.

VEGETATION SHALL BE REPLACED IN KIND AT THE EXPENSE OF THE CONTRACTOR.

- 2. ALL DEMOLITION DEBRIS SHALL BE PROPERLY HANDLED AND DISPOSED OF IN ACCORDANCE WITH NYSDEC WESTCHESTER COUNTY AND LOCAL REGULATIONS.
- 3. EXISTING SANITARY SEWER SHOULD BE CAPPED AT THE BUILDING AND AT THE EXISTING SANITARY MANHOLE AT SITE ENTRANCE. SEWER SHALL BE REMOVED IN ACCORDANCE WITH DRAWINGS AND DETAILS. APPROXIMATELY 330 LF OF SANITARY FORCEMAIN TO BE REMOVED. CONTRACTOR TO FIELD VERIFY LOCATION OF SANITARY FORCE MAIN AND ALL APPURTENANCES.
- 4. EXISTING SANITARY SEWER CONNECTION TO BE CAPPED IN CONFORMANCE WITH TOWN AND WESTCHESTER COUNTY DEPARTMENT OF HEALTH REQUIREMENTS.
- 5. EXISTING SANITARY PUMP CHAMBER TO BE DEMOLISHED AND REMOVED IN CONFORMANCE WITH WESTCHESTER COUNTY DEPARTMENT OF HEALTH REQUIREMENTS. PRIOR TO DEMOLITION, THE CONTRACTOR SHALL DISMANTLE AND CLEAN OUT THE EXISTING PUMP CHAMBER IN CONFORMANCE WITH ALL LOCAL AND STATE REQUIREMENTS.
- 6. EXISTING SANITARY FORCEMAIN TO BE CAPPED IN CONFORMANCE WITH TOWN AND WESTCHESTER COUNTY DEPARTMENT OF HEALTH REQUIREMENTS. THE FORCEMAIN IS TO BE REMOVED AND DISPOSED IN ACCORDANCE WITH WESTCHESTER DEPARTMENT OF HEALTH AND NYSDEC REGULATIONS.
- 7. APPROXIMATELY 30 LF GRAVITY SANITARY SEWER BETWEEN PUMP CHAMBER AND BUILDING CONNECTION TO BE REMOVED.
- 8. EXISTING UTILITIES SHALL BE CAPPED 10' BEYOND BUILDING FOUNDATION PRIOR TO BUILDING DEMOLITION BY A LICENSED PLUMBER AND ELECTRICIAN. CONTRACTOR IS RESPONSIBLE FOR COORDINATING WITH ALL UTILITY PROVIDERS.
- 9. EXISTING ELECTRICAL AND COMMUNICATION LINES TO BE DISCONNECTED IN ACCORDANCE WITH ASSOCIATED UTILITY PROVIDER . CONTRACTOR IS RESPONSIBLE FOR COORDINATING WITH APPLICABLE UTILITY PROVIDERS.
- 10. EXISTING TRANSFORMER TO BE REMOVED IN ACCORDANCE WITH CON-ED REQUIREMENTS. CONTRACTOR IS RESPONSIBLE FOR
- COORDINATING WITH CON-ED. ASSOCIATED CONCRETE PAD AND ASSOCIATED CONDUITS TO BE DEMOLISHED AND REMOVED.
- 11. EXISTING ONE-STORY CONCRETE BUILDING AND ASSOCIATED SLATE PATIO AND WALKWAYS TO BE DEMOLISHED AND REMOVED.
- 12. EXISTING MODULAR TRAILER TO BE DISCONNECTED FROM ALL UTILITY CONNECTIONS AND REMOVED FROM SITE.
- 13. WELL DECOMMISSIONING SHALL BE IN ACCORDANCE WITH WESTCHESTER COUNTY DEPARTMENT OF HEALTH. THE CONTRACTOR IS RESPONSIBLE FOR SECURING A NYSDEC REGISTERED WELL DRIVER TO PERFORM THE WELL ABANDONMENT / DECOMMISSIONING. NYSDEC WELL DRIVER SHALL PROVIDE DETAILS OF WELL DECOMMISSIONING TO WESTCHESTER COUNTY DEPARTMENT OF HEALTH IN WRITING PRIOR TO STARTING OF WORK.
- 14. WHERE EXISTING OR ASPHALT CONCRETE PAVEMENT ARE REMOVED, THE CONTRACTOR SHALL SAWCUT AND NEATLY TRIM EDGE OF REMAINING PAVEMENT BEFORE INSTALLING NEW PAVEMENT.
- 15. EXISTING UNDERGROUND PETROLEUM STORAGE TANKS (2) TO BE FIELD LOCATED BY CONTRACTOR. TANK REMOVAL SHALL BE PERFORMED IN ACCORDANCE WITH WESTCHESTER COUNTY REGULATION AS WELL AS NYSDEC REQUIREMENTS.
- 16. CONTRACTOR TO FIELD VERIFY LOCATION OF EXISTING ABANDONED SANITARY ABSOPRTION FIELDS. EXISTING PIPE, GRAVEL AND ASSOCIATED APPURTENANCES SHALL BE REMOVED AND DISPOSED OF IN ACCORDANCE WITH WCDOH AND NYSDEC REQUIREMENTS. SURROUNDING SOIL SHOULD BE TESTED AND DISPOSED IN ACCORDANCE WITH NYSDEC REQUIREMENTS.

# CONSTRUCTION NOTES

WORK SHOWN WITHIN THE PROJECT AREA.

- 1. THE CONTRACTOR SHALL REVIEW THE SEQUENCE OF CONSTRUCTION PLAN AND EROSION AND SEDIMENT CONTROL PLAN TO INCLUDE WORK STAGING AND A TEMPORARY METHOD OF COLLECTING AND CONVEYING DRAINAGE DURING CONSTRUCTION INCLUDING EROSION AND SEDIMENT CONTROL PRACTICES. THE SEQUENCE OF CONSTRUCTION SHALL BE SUBMITTED FOR REVIEW TO AKRF ENGINEERING PRIOR TO THE PRE-CONSTRUCTION MEETING.
- 2. CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL NECESSARY CONSTRUCTION PERMITS AND APPROVALS PRIOR TO COMMENCING WORK
- 3. PRIOR TO STARTING ANY CONSTRUCTION ACTIVITY THE CONTRACTOR SHALL COORDINATE AND ATTEND A PRECONSTRUCTION MEETING WITH AKRE ENGINEERING.
- 4. CONTRACTOR SHALL EXAMINE AND FIELD VERIFY ALL EXISTING AND GIVEN DIMENSIONS AND CONDITIONS WITH THOSE SHOWN ON THE PLANS. IN CASE OF ANY DISCREPANCY, CONTRACTOR SHALL IMMEDIATELY NOTIFY THE PROJECT ENGINEER.
- FIELD VERIFICATION OF LOCATION AND EXTENT OF ALL UTILITIES PRIOR TO COMMENCING CONSTRUCTION.

5. THE LOCATIONS OF ALL EXISTING UNDERGROUND UTILITIES SHOWN ARE APPROXIMATE. THE CONTRACTOR IS RESPONSIBLE FOR

- 6. CONTRACTOR RESPONSIBLE FOR COORDINATING WITH PROPER UTILITY COMPANY OR AGENCY FOR DISCONNECTING SERVICES, RELOCATING SERVICES. AND PROVIDING NEW SERVICES WITHIN THE PROJECT AREA.
- 7. WHERE CONSTRUCTION, INCLUDING UTILITY LINES, CROSSES OR IS ADJACENT TO EXISTING UTILITY LINES (FUEL, WATER, SEWER, TELECOMMUNICATION, GAS OR ELECTRIC), CONTRACTOR SHALL DIG TEST PITS AND CAREFULLY HAND EXCAVATE SO AS TO LOCATE, MARK, AND PROTECT THE UTILITY LINES AGAINST DISTURBANCE OR DAMAGE.
- 8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ADEQUATELY BRACING AND PROTECTING ALL WORK DURING CONSTRUCTION AGAINST DAMAGE, BREAKAGE, COLLAPSE, DISTORTIONS AND OFF ALIGNMENTS ACCORDING TO CODES AND STANDARDS OF GOOD PRACTICE.
- CONTRACTOR IS RESPONSIBLE FOR PROVIDING ALL LABOR. EQUIPMENT. AND MATERIALS AS REQUIRED FOR THE IMPROVEMENT
- 10. THE TOP ELEVATION OF ALL EXISTING HANDHOLES, MANHOLES, CATCH BASINS, VALVE BOXES, AND FILL CAPS COVERS LOCATED WITHIN THE CONSTRUCTION AREA SHALL BE RESET AND BE MADE FLUSH WITH THE PROPOSED GRADE.
- 11. CONTRACTOR TO SUBMIT SHOP DRAWINGS FOR ALL PRODUCTS (I.E. PIPES, STRUCTURES, ETC.) INCLUDING MATERIAL SPECIFICATIONS FOR ROCK, FILL MATERIAL, EROSION CONTROL MAT, SILT FENCE, AND PAVEMENT SECTION. ALL SITE-RELATED SHOP
- 12. WHERE MANUFACTURER'S NAMES AND PRODUCT NUMBERS ARE INDICATED ON DRAWINGS, IT SHALL BE CONSTRUED TO MEAN THE ESTABLISHMENT OF QUALITY AND PERFORMANCE STANDARDS OF SUCH ITEMS. ALL OTHER PRODUCTS MUST BE SUBMITTED TO THE ENGINEER FOR APPROVAL BEFORE THEY SHALL BE DEEMED EQUAL.
- 13. ALL FINISH GRADING IS TO BE DONE SO AS TO ENSURE POSITIVE DRAINAGE TOWARD THE APPROPRIATE CATCH BASINS.

DRAWINGS SUBMITTED TO THE ENGINEER SHALL BEAR THE APPROVAL STAMP OF GENERAL CONTRACTOR.

- 14. ALL SITE SIGNAGE AND PAVEMENT MARKINGS SHALL CONFORM TO THE LATEST NATIONAL MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (M.U.T.C.D.)
- 15. UNLESS OTHERWISE SPECIFIED OR INDICATED ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH @28 DAYS OF 4,000 PSI.
- 16. UNSUITABLE MATERIAL, CONSTRUCTION DEBRIS, ETC. SHALL BE PROPERLY REMOVED AND DISPOSED OF OFF-SITE IN ACCORDANCE WITH APPLICABLE STATE AND LOCAL CODES, ORDINANCES, AND LAWS.
- 17. IN AREAS DEEMED AS FULL DEPTH ASPHALT PAVEMENT REPLACEMENT, EXISTING ASPHALT PAVEMENT SHALL BE ENTIRELY REMOVED AND DISPOSED OF BY THE CONTRACTOR IN CONFORMANCE WITH NYSDEC AND TOWN CODE. THE SUBGRADE SHALL BE PREPARED AND BROUGHT TO THE REQUIRED ELEVATION PRIOR TO CONSTRUCTING BASE AND TOP COURSE.
- 18. ALL EXCAVATION SHALL BE PROPERLY BACKFILLED IN 12" LIFTS OR LESS WITH CLEAN FILL AND COMPACTED TO MINIMUM 95% PROCTOR (IN PAVED AREAS) OF THEIR MAXIMUM DRY DENSITY AS DETERMINED BY ASTM D-1557 TEST PROCEDURE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR COMPACTION TESTING AND SHALL SUBMIT SUCH REPORT AND VERIFICATION TO PROJECT ENCINEER.
- 19. A MINIMUM OF TWELVE (12) INCHES OF ENVIRONMENTALLY CLEAN TOP SOIL SHALL BE USED ON ALL EXPOSED GROUND SURFACES, INCLUDING LANDSCAPED AREAS.
- 20. HIGH DENSITY POLYETHYLENE (HDPE) PIPE SHALL BE HANCOR (BLUE SEAL) AND FITTINGS SHALL HAVE SMOOTHED INTERIOR AND CORRUGATED EXTERIOR. THE BELL-AND-SPIGOT HDPE PIPING NETWORK SHALL BE JOINED USING WATERTIGHT CONNECTIONS IN ACCORDANCE WITH THE REQUIREMENTS OF ASTM D3212. ELASTOMERIC SEALS (GASKETS) MADE OF POLYISOPRENE AND MEETING THE REQUIREMENTS OF ASTM F477 SHALL SHOW NO VISIBLE LEAKS WHEN TESTED UNDER A 10 FT. HYDROSTATIC WATER TEST. PROVIDE THOSE BY HANCOR CO. OR OTHER MANUFACTURER THAT CAN PROVIDE WATERTIGHT JOINTS.
- 21. THE ENGINEER SHALL NOT BE RESPONSIBLE FOR CONSTRUCTION METHODS AND MEANS FOR COMPLETION OF THE WORK DEPICTED ON THESE PLANS, NOR FOR ANY CONFLICTS AND/OR REVISIONS WHICH RESULT FROM THE SAME. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING METHODS AND MEANS OF COMPLETION OF THE WORK PRIOR TO THE COMMENCEMENT OF CONSTRUCTION AND NOTIFY THE PROJECT ENGINEER WHEN A CONFLICT IS IDENTIFIED.
- 22. CONTRACTOR TO COMPLY WITH THE FOLLOWING EARTHWORK MATERIAL GUIDELINES:
- 22.A. FILL AND BACKFILL: ONLY ENVIRONMENTALLY CLEAN MATERIAL (I.E., MATERIAL THAT HAS BEEN TESTED AND FOUND TO CONTAIN LEVELS OF SEMI-VOLATILE ORGANIC COMPOUNDS OR INORGANIC ANALYTES THAT DO NOT EXCEED NYSDEC TAGM HWR-4046 RECOMMENDED SOIL CLEANUP OBJECTIVES AND NOT DETECTABLE VOLATILE ORGANIC COMPOUNDS) SHALL BE USED AS FILL AND BACKFILL. COMPOSITION SHALL CONSIST OF SAND, GRAVEL, CRUSHED STONE, CRUSHED GRAVEL OR A MIXTURE OF THESE. MATERIAL SHALL NOT CONTAIN SALTS OR FOREIGN MATERIALS OF ANY KIND. THESE FILL MATERIALS SHALL CONTAIN NO PARTICLES EXCEEDING 4" IN THE LARGEST DIMENSION. NO MORE THAN 30% OF THE MATERIAL SHALL BE RETAINED ON A 3/4" SIEVE. THE MATERIAL PASSING THE 3/4" SIEVE SHALL CONTAIN, BY WEIGHT, NO MORE THAN 40% PASSING THE NO. 100 SIEVE, NOR 12% PASSING THE NO. 200 SIEVE.
- 22.B. <u>AGGREGATE BASE:</u> AGGREGATE BASE COURSE UNDER PAVEMENT SHALL BE COMPOSED OF CRUSHED LEDGE ROCK OR TALUS, ROUGHLY CUBICAL OR PYRAMIDAL IN SHAPE, AND SAND MEETING THE GRADATION AND SOUNDNESS REQUIREMENTS OF NEW YORK STATE DOT, ITEM 3.04.02, TYPE 2. MATERIAL SHALL BE UNIFORM IN QUALITY AND FREE OF WOOD, LOAM, CLAY, DIRT, ROOTS, BARK, AND ANY OTHER EXTRANEOUS MATERIAL.
- 23. FIELD QUALITY CONTROL TESTING SHALL BE PERFORMED BY THE CONTRACTOR AT THE CONTRACTOR'S EXPENSE AND THE RESULTS ARE TO BE FURNISHED TO PROJECT ENGINEER FOR REVIEW AND APPROVAL.

# TESTS:

- 23.A. SIEVE ANALYSIS: THE CONTRACTOR SHALL PERFORM SIEVE ANAYLSIS IN ACCORDANCE WITH ASTM D422 ON FILL AND AGGREGATE MATERIALS AT THE SITE PRIOR TO PLACEMENT IN ORDER TO VERIFY CONFORMANCE WITH THE REQUIREMENTS
- 23.B. FIELD DENSITY TESTS: PERFORM IN-PLACE FIELD DENSITY TESTS IN ACCORDANCE WITH ASTM D1557 PROCEDURES.
- 26.B.1. EXISTING SUBGRADE ONE FIELD DENSITY TEST FOR EACH 2000 SQ. FT., BUT IN NO CASE LESS THAN THREE

26.B.2. FILL AREAS - FOR EACH LIFT (FILL TO BE PLACED IN LIFTS NO GREATER THAN 6"), ONE FIELD DENSITY TEST FOR EACH 2000 SQ. FT., BUT IN NO CASE LESS THAN TWO TESTS.

# UTILITY NOTES

# SANITARY SEWERS

- 1. EXISTING UTILITY LOCATIONS SHOWN ON THE COMPOSITE UTILITY PLAN ARE APPROXIMATE, IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO DETERMINE EXACT LOCATION AND ELEVATION OF ALL EXISTING UNDERGROUND UTILITIES PRIOR TO COMMENCING CONSTRUCTION.
- 2. SANITARY SEWERS SHALL BE CLEANED AND FLUSHED UPON CONSTRUCTION COMPLETION.
- 3. THE CONTRACTOR SHALL EXERCISE CAUTION WHEN REGARDING OVER EXISTING/NEW UTILITIES INCLUDING, BUT NOT LIMITED TO
- 4. THE SANITARY MANHOLE COVERS ARE TO BEAR THE INSCRIPTION "SANITARY".

STORM AND SANITARY SEWERS, WATER MAINS, GAS AND ELECTRIC LINES.

- 5. NO SANITARY SEWER MAIN WITHIN THE PROJECT SITE SHALL BE ACTIVATED UNTIL AN EXFILTRATION/INFILTRATION TEST IS MADE AND HAS MET REQUIREMENTS AND STANDARDS SET FORTH BY THE TOWN ENGINEER. ALL SEWER PIPES MUST MEET AN INFILTRATION TEST RATE OF ONE HUNDRED (100) GALLONS PER DAY/MILE/INCH DIAMETER, OR ANY OTHER REQUIREMENT SET FORTH BY THE TOWN ENGINEER.
- 6. EXFILTRATION/INFILTRATION TESTS SHALL BE OBSERVED AND CERTIFIED TO THE TOWN ENGINEER AND DEVELOPER'S LICENSED PROFESSIONAL ENGINEER
- 7. THE SANITARY SEWER FORCE MAIN SHALL BE 4" PVC. CONTRACTOR TO REFER TO MEP/ARCHITECTURAL DRAWINGS FOR LOCATION OF SANITARY EJECTOR PUMP AND DETAIL.

#### **ELECTRIC**

- 1. CONTRACTOR TO FIELD VERIFY ALL EXISTING BURIED UTILITIES INCLUDING ELECTRIC.
- 2. CONTRACTOR SHALL COORDINATE WITH CONSOLIDATED EDISON (CON-ED) REGARDING THE REMOVAL OF ANY UTILITY POLES, TRANSFORMERS, CONDUITS, AND OVERHEAD WIRES.
- 3. CONTRACTOR SHALL COORDINATE WITH CON-ED REGARDING THE PROPOSED CONNECTIONS FROM EXISTING OVERHEAD WIRES, AND PROPOSED UTILITY POLE.
- 4. PROPOSED TRANSFORMER AND ASSOCIATED PAD SHALL BE CONSTRUCTED IN ACCORDANCE WITH CON-ED.

# **EROSION & SEDIMENT CONTROL NOTES**

- 1. CONTRACTOR IS RESPONSIBLE CONTRACTOR IS RESPONSIBLE FOR IMPLEMENTING ALL OF THE EROSION AND SEDIMENT CONTROL PRACTICES IN ACCORDANCE WITH THE STORMWATER POLLUTION PREVENTION PLAN (SWPPP).
- 2. CONTRACTOR IS RESPONSIBLE TO EVALUATE AND IMPLEMENT ADDITIONAL EROSION AND SEDIMENT CONTROL MEASURES AS REQUIRED TO MEET THE OBJECTIVES OF THE TOWN, NYCDEC AND NYCDEP REGULATIONS.
- 3. CONTRACTOR IS REQUIRED TO HAVE A NYCDEC CERTIFIED TRAINED CONTRACTOR ON-SITE RESPONSIBLE FOR THE IMPLEMENTATION OF THE SWPPP.
- 4. CONTRACTOR IS RESPONSIBLE FOR INSTALLATION, INSPECTION, AND MAINTENANCE OF ALL EROSION AND SEDIMENT CONTROL MEASURES SHOWN ON THE PLANS AND AS DIRECTED BY THE ENGINEER.
- 5. CONTRACTOR IS RESPONSIBLE TO INSTALL EROSION AND SEDIMENT CONTROL PRACTICES PRIOR TO ANY SOIL DISTURBANCE AND TO MAINTAIN THEM UNTIL PERMANENT PROTECTION IS ESTABLISHED. EROSION AND SEDIMENT CONTROL MEASURES MUST BE INSTALLED IN ACCORDANCE WITH THE CURRENT EDITION OF THE NEW YORK STATE STANDARDS AND SPECIFICATIONS FOR EROSION AND SEDIMENT CONTROL.
- 6. THE CONTRACTOR SHALL PRESERVE ALL NATURAL SITE FEATURES. AS LITTLE VEGETATIVE COVER SHALL BE REMOVED AS NECESSARY. ANY DISTURBED AREAS SHALL BE IMMEDIATELY STABILIZED BY ROLLED EROSION CONTROL PRODUCT.
- 7. CONTRACTOR IS RESPONSIBLE TO INSPECT THE EROSION AND SEDIMENT CONTROL MEASURES AND THAT THEY BE MAINTAINED IN GOOD WORKING ORDER AT ALL TIMES.
- 8. CONTRACTOR IS RESPONSIBLE TO TEMPORARILY STABILIZE DISTURBED AREAS IN ACCORDANCE WITH NEW YORK STATE STANDARDS AND SPECIFICATIONS FOR EROSION AND SEDIMENT CONTROL, NO LATER THAN 7 DAYS AFTER CONSTRUCTION ACTIVITY IN THE AREA HAS CEASED.
- 9. CONTRACTOR IS RESPONSIBLE TO KEEP PUBLIC RIGHTS-OF-WAY ALONG SITE BOUNDARIES CLEAR OF SOIL AND DEBRIS AND IS RESPONSIBLE FOR ANY STREET CLEANING NECESSARY DURING THE COURSE OF THE PROJECT.
- 10. THE SITE SHALL BE WATERED DOWN DURING CONSTRUCTION TO MINIMIZE DUST. THIS ACTIVITY SHALL BE PERFORMED BY THE CONTRACTOR AS DEEMED NECESSARY BY THE ENGINEER. CONTRACTOR IS RESPONSIBLE FOR DUST CONTROL THROUGHOUT CONSTRUCTION PERIODS AND UNTIL SITE IS PERMANENTLY STABILIZED.
- 11. CONTRACTOR IS RESPONSIBLE TO REMOVE EROSION AND SEDIMENT CONTROL MEASURES AFTER THE DISTURBED AREAS HAVE BEEN PERMANENTLY STABILIZED, I.E. GREATER THAN 80% VEGETATIVE COVER.
- 12. AREAS DISTURBED BY CONSTRUCTION SHALL BE SEEDED & MULCHED UNLESS OTHERWISE NOTED. AFTER FINAL GRADING AND CLEANUP OF ALL DISTURBED AREAS, CONTRACTOR SHALL ESTABLISH A STAND OF GRASS BY SEEDING AND MULCHING AS PER THE VEGETATIVE PLAN. THE CONTRACTOR SHALL WATER THE SEEDED AREAS TO MAINTAIN MOISTURE LEVELS FOR OPTIMUM GROWTH FOR A PERIOD NO LESS THAN TWO (2) WEEKS.

#### SEQUENCE OF CONSTRUCTION ACTIVITIES

- 1. A PRE CONSTRUCTION MEETING SHALL BE HELD WITH REPRESENTATIVES OF NYCDEP, CERTIFIED PROFESSIONAL TRAINED CONTRACTOR, THE TOWN, THE RESIDENT ENGINEER, AND THE CONTRACTOR PRIOR TO ANY SITE DISTURBANCE.
- 2. PRIOR TO CLEARING AND GRUBBING ACTIVITIES THE CONTRACTOR SHALL INSTALL STABILIZED CONSTRUCTION ENTRANCE/EXIT AND CONSTRUCTION ACCESS AREA AS SHOWN ON THE PLAN
- 3. INSTALL SILT FENCE AS INDICATED ON THE EROSION AND SEDIMENT CONTROL PLAN.
- 4. DISCONNECT ALL UTILITY CONNECTIONS TO EXISTING ONE STORY BUILDING AND REMOVE BUILDING AND ASSOCIATED APPURTENANCES IN ACCORDANCE WITH DEMOLITION PLAN. PAVEMENT DEMOLITION SHALL NOT BE PERFORMED UNTIL TSB IS INSTALLED.
- 5. CLEAR AND GRUB IN AREA OF PROPOSED TEMPORARY SEDIMENT BASINS. ANY TOPSOIL SHALL BE STOCKPILED ON-SITE AS SHOWN ON DRAWING.
- 6. ROUGH GRADE PROPOSED TEMPORARY SEDIMENT BASIN AND ASSOCIATED STORMWATER STRUCTURES. INSTALL 6" OF TOPSOIL, SEED, AND STABILIZE WITH ROLLED EROSION CONTROL PRODUCT (RECP).
- 7. SOIL STOCKPILE SHOULD BE LOCATED ON GRASSY AREAS IN ACCORDANCE WITH DETAIL
- 8. INSTALL PERIMETER DIKE/SWALE 1 AND 2 STARTING AT THE TEMPORARY SEDIMENT BASINS AS SHOWN ON PLAN.
- 9. BEGIN CLEARING AND GRUBBING IN THE AREA OF THE PROPOSED BUILDING FOOTPRINT. STOCKPILE FILL MATERIAL IN DESIGNATED AREA AS SHOWN ON PLAN
- 10. BEGIN CONSTRUCTION OF BUILDING AND ASSOCIATED DRIVEWAY AND STORMWATER INFRASTRUCTURE.
- 11. INSTALL INLET PROTECTION.
- 12. ONCE BUILDING AND PAVED SURFACES ARE COMPLETE, COMPLETE FINAL GRADING IN ADJACENT AREAS. STABILIZE WITH ROLLED EROSION CONTROL PRODUCT.
- 13. COMPLETE FINAL GRADING IN BASINS AND INSTALL VEGETATION IN ACCORDANCE WITH LANDSCAPE PLAN.
- 14. ONCE FINAL GRADE IS ACHIEVED IN PROPOSED LANDSCAPED AREAS TEMPORARY SEEDING AND MULCHING SHALL BE DONE IMMEDIATELY.

# TOWN OF NORTH CASTLE

# GENERAL NOTES

- 1. INSPECTION OF EROSION CONTROLS BY THE TOWN ENGINEER IS REQUIRED PRIOR TO ANY EXCAVATION.
- 2. ALL DRAINAGE FACILITIES SHALL BE INSPECTED PRIOR TO BACKFILLING BY THE TOWN ENGINEER. (FOR ANY PROPOSED SUBSURFACE STORMWATER TREATMENT)
- 3. SOIL TESTING DATA IS REQUIRED TO BE SUBMITTED.
- 4. INSPECTION OF SUBSURFACE DRAINAGE SYSTEMS SHALL BE INSPECTED BY THE TOWN ENGINEER PRIOR TO BACKFILLING.
- 5. PUBLIC ROADWAYS SHALL BE PROTECTED FROM MACHINERY AND DEBRIS.
- 6. ANY CHANGES, ALTERATIONS, AND/OR MODIFICATIONS SHALL BE REVIEWED AND APPROVED BY THE BUILDING INSPECTOR AND/OR TOWN ENGINEER, PRIOR TO PERFORMING SUCH WORK.

# PARK

11 New King Street
Town of North Castle, New York

11 New King Street LLC 11 New King Street, White Plains, NY



AKRF ENGINEERING, P.C. 440 PARK AVENUE SOUTH NEW YORK, NY 10016 Tel:(212)696-0670 Fax:(212)726-0942

FEIS SUBMISSION



NEW YORK STATE EDUCATION LAW 145, SECTION 7209, PROHIBITS ANY INDIVIDUAL FROM ALTERING THESE DRAWINGS AND/OR ACCOMPANYING SPECIFICATIONS IN ANY WAY, UNLESS IT IS UNDER THE DIRECT SUPERVISIC OF A LICENSED PROFESSIONAL ENGINEER. IF ALTERATIONS ARE MADE, THE ALTERING ENGINEER MUST SIGN, SEAL, DATE, AND DESCRIBE THE FULL DESCRIPTION OF THE ALTERATION ON THE DRAWING AND/OR SPECIFICATION

NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGE—MENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF (KG&D).

WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION.

LEGAL NOTICE: ALTERATIONS BY ANY PERSON, IN ANY WAY, OF ANY ITEM CONTAINED ON THIS DOCUMENT, UNLESS ACTING UNDER THE DIRECTION OF THE LICENCED ARCHITECT WHOSE PROFESSIONAL SEAL IS AFFIXED HERETO,

IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW.

© Copyright 2009 Kaeyer, Garment, & Davidson Architects.

6 10-15-14 FEIS SUBMISSION

5 05-30-14 FEIS SUBMISSION
4 08-21-11 REVISION PER DEIS COMMENTS
3 01-24-11 REVISION PER DEIS COMMENTS

| 2 | 10-26-10 | DEIS SUBMISSION

1 06-15-09 SITE PLAN SUBMISSION

All rights reserved.

NOTES PLAN


ob No. Sheet 2007-0632 Tate 08-25-10


C-

As Shown

Drawn/Checked

JH/AM





# PARK PLACE

11 New King Street

11 New King Street LLC 11 New King Street, White Plains, NY





FEIS SUBMISSION



INDIVIDUAL FROM ALTERING THESE DRAWINGS AND/OR ACCOMPANYING SPECIFICATIONS IN ANY WAY, UNLESS IT IS UNDER THE DIRECT SUPERVISIO OF A LICENSED PROFESSIONAL ENGINEER. IF ALTERATIONS ARE MADE, THE ALTERING ENGINEER MUST SIGN, SEAL, DATE, AND DESCRIBE THE FULL


NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOULT THE WRITTEN PEPPHISSION OF (KG&D) WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF (KG&D). WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION. LEGAL NOTICE: ALTERATIONS BY ANY PERSON, IN ANY WAY, OF ANY ITEM CONTAINED ON THIS DOCUMENT, UNLESS ACTING UNDER THE DIRECTION OF THE LICENCED ARCHITECT WHOSE PROFESSIONAL SEAL IS AFFIXED HERETO, IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW.

7 | 11-20-14 KSC COMMENTS OF 11/20/14 6 10-15-14 FEIS SUBMISSION 5 | 05-30-14 | FEIS SUBMISSION

4 08-21-11 REVISION PER DEIS COMMENTS 3 | 01-24-11 | REVISION PER DEIS COMMENTS 2 10-26-10 DEIS SUBMISSION

1 | 06-15-09 | SITE PLAN SUBMISSION


**EXISTING STEEP** SLOPE ANALYSIS








NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOFFED WITHOUT THE WRITTEN PERMISSION OF (KGAD) WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITION

IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW.









PLACE

Town of North Castle, New York

11 New King Street, White Plains, NY






NEW YORK STATE EDUCATION LAW 145, SECTION 7209, PROHIBITS ANY INDIVIDUAL FROM ALTERING THESE DRAWINGS AND/OR ACCOMPANYING SPECIFICATIONS IN ANY WAY, UNLESS IT IS UNDER THE DIRECT SUPERVISION OF A LICENSED PROFESSIONAL ENGINEER. IF ALTERATIONS ARE MADE, THE ALTERING ENGINEER MUST SIGN, SEAL, DATE, AND DESCRIBE THE FULL

NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOFVER WITHOULT THE WRITTEN PERMISSION OF (KG&D) WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF (KG&D). WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITION SHOWN BY THESE DRAWINGS. SHOP DETAILS MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION. LEGAL NOTICE: ALTERATIONS BY ANY PERSON, IN ANY WAY, OF ANY ITEM CONTAINED ON THIS DOCUMENT, UNLESS ACTING UNDER THE DIRECTION OF THE LICENCED ARCHITECT WHOSE PROFESSIONAL SEAL IS AFFIXED HERETO, IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW.

6 | 10-15-14 FEIS SUBMISSION 5 | 05-30-14 | FEIS SUBMISSION 4 08-21-11 REVISION PER DEIS COMMENTS 3 01-24-11 REVISION PER DEIS COMMENTS 2 10-26-10 DEIS SUBMISSION 1 | 06-15-09 | SITE PLAN SUBMISSION

**EROSION AND** SEDIMENT CONTROL PLAN



4. PREVIOUS SURVEY OF PROPERTY CIRCA 1986, PREPARED BY MCDONALD.

PARK PLACE

11 New King Street Town of North Castle, New York

11 New King Street LLC 11 New King Street, White Plains, NY



AKRF ENGINEERING, P.C. 440 PARK AVENUE SOUTH NEW YORK, NY 10016 Tel:(212)696-0670

FEIS SUBMISSION

Fax:(212)726-0942



INDIVIDUAL FROM ALTERING THESE DRAWINGS AND/OR ACCOMPANYING SPECIFICATIONS IN ANY WAY, UNLESS IT IS UNDER THE DIRECT SUPERVISIO OF A LICENSED PROFESSIONAL ENGINEER. IF ALTERATIONS ARE MADE, THE ALTERING ENGINEER MUST SIGN, SEAL, DATE, AND DESCRIBE THE FULL DESCRIPTION OF THE ALTERATION ON THE DRAWING AND/OR SPECIFICATIONS

NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOFFER WITHOUT THE WRITTEN PERMISSION OF (KG&D) WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF (KG&D). WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION.

LEGAL NOTICE: ALTERATIONS BY ANY PERSON, IN ANY WAY, OF ANY ITEM CONTAINED ON THIS DOCUMENT, UNLESS ACTING UNDER THE DIRECTION OF THE LICENCED ARCHITECT WHOSE PROFESSIONAL SEAL IS AFFIXED HERETO, IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW. © Copyright 2009 Kaeyer, Garment, & Davidson Architects. All rights reserved.

7 | 11-20-14 KSC COMMENTS OF 11/20/14 6 | 10-15-14 | FEIS SUBMISSION 5 | 05-30-14 | FEIS SUBMISSION


4 | 08-21-11 | REVISION PER DEIS COMMENTS 3 | 01-24-11 | REVISION PER DEIS COMMENTS 2 10-26-10 DEIS SUBMISSION

1 | 06-15-09 | SITE PLAN SUBMISSION

LANDSCAPE PLAN


2007-0632 08-25-10 1"=30'

SCALE: 1" = 30'



# - STAPLE 12" O.C. ALONG BLANKET AT SLOPE 3'-0" MIN.─► STAPLE 12" O.C. ALONG **BOTTOM OF BLANKET** AT THE END OF SLOPE

# **BOTTOM OF SLOPE TERMINATION**




END SEAM OF BLANKETS OVERLAP 2"-4". PLACE STAPLES, ONE ON EACH CORNER OF BLANKET, 12" O.C. ALONG BLANKET END THROUGH BOTH BLANKETS. UPSLOPE BLANKET LAPS OVER DOWNSLOPE BLANKETS IN A SHINGLE AFFECT





# DO NOT NEED TO TRENCH BLANKET IN IF


OVER THE CREST OF THE SLOPE.

IT CAN BE EXTENDED A MINIMUM OF 3'-0"









# CONSTRUCTION SPECIFICATIONS

- 1. CLEAN OUT THE SEDIMENT TANK WHEN ONE THIRD (1/3) FILLED WITH SILT. 2. STEEL DRUMS ARE USED AS AN EXAMPLE DUE TO THEIR READY AVAILABILITY. ANY TANKS MAY BE USED, PROVIDING THAT THE VOLUME REQUIREMENTS ARE MET.
- 3. ALL SEDIMENT COLLECTED IN THE TANK SHALL BE DISPOSED OF IN A SEDIMENT TRAPPING DEVICE OR AS APPROVED BY THE INSPECTOR.

PORTABLE SEDIMENT TANK N.T.S. - ADAPTED FROM: NYSDEC STANDARDS & SPECIFICATIONS FOR EROSION & SEDIMENT CONTROL

#### SEEDING:

<u>TIME</u> SPRING/SUMMER/ RYEGRASS (ANNUAL OR 30 LBS. PER ACRE (1 LB./1000 SF)

EARLY FALL PERENNIAL) LATE FALL/ CERTIFIED 'AROOSTOOK' 100 LBS. PER ACRE (2.5 LBS. /1000 S.F.) EARLY WINTER WINTER RYE

MULCHING:

QUANTITY

PRODUCTS APPROVED FOR EROSION CONTROL


3. RECP MAY BE USED IN LIEU OF MULCHING

(CEREAL RYE)

2 TONS PER ACRE (90 LBS. PER 1000 S.F.) ANY SEEDING TIME HAY OR STRAW

AREAS WHERE WIND AND CONCENTRATED WATER ARE CONCERNS WILL REQUIRE MULCH ANCHORING PRODUCTS TO BE USED FOR MULCH ANCHORING ARE WOOD FIBER HYDROMULCH OR OTHER SPRAYABLE

# TEMPORARY SEEDING AND MULCHING SCHEDULE



STONE SIZE - USE 1-4 INCHES STONE, OR RECLAIMED OR RECYCLED CONCRETE EQUIVALENT.

LENGTH - NOT LESS THAN 50 FEET THICKNESS - NOT LESS THAN SIX (6) INCHES.


WIDTH - TWELVE (12) FOOT MINIMUM, BUT NOT LESS THAN THE FULL WIDTH AT POINTS WHERE INGRESS OR EGRESS OCCURS. TWENTY-FOUR (24) FOOT IF SINGLE ENTRANCE TO SITE. FILTER FABRIC - WILL BE PLACED OVER THE ENTIRE AREA PRIOR TO PLACING OF STONE. SURFACE WATER - ALL SURFACE WATER FLOWING OR DIVERTED TOWARD CONSTRUCTION ENTRANCES


SHALL BE PIPED ACROSS THE ENTRANCE. IF PIPING IS IMPRACTICAL, A MOUNTABLE BERM WITH 5:1 SLOPES WILL BE PERMITTED MAINTENANCE - THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION WHICH WILL PREVENT TRACKING

OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHTS-OF-WAY, ALL SEDIMENT SPILLED, DROPPED, WASHED OR TRACTED ONTO PUBLIC RIGHTS-OF-WAY MUST BE REMOVED IMMEDIATELY. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH STONE AND WHICH

DRAINS INTO AN APPROVED SEDIMENT TRAPPING DEVICE. PERIODIC INSPECTION AND NEEDED MAINTENANCE SHALL BE PROVIDED EVERY 7 CALENDAR DAYS AND AFTER EACH RAINFALL EVENT.

# STABILIZED CONSTRUCTION ENTRANCE/EXIT







WOVEN WIRE FENCE TO BE FASTENED SECURELY TO FENCE POSTS WITH WIRE TIES OR STAPLES. POSTS SHALL BE STEEL EITHER "T" OR "U" TYPE OR HARDWOOD. FILTER CLOTH TO BE TO BE FASTENED SECURELY TO WOVEN WIRE FENCE WITH TIES SPACED EVERY


24" AT TOP AND MID SECTION. FENCE SHALL BE WOVEN WIRE, 6" MAXIMUM MESH WHEN TWO SECTIONS OF FILTER CLOTH ADJOIN EACH OTHER THEY SHALL BE OVER-LAPPED BY SIX INCHES AND FOLDED. FILTER CLOTH SHALL BE EITHER FILTER X, MIRAFI 100X, STABILINKA T140N, OR

PREFABRICATED UNITS SHALL BE GEOFAB, ENVIROFENCE, OR APPROVED EQUIVALENT MAINTENANCE SHALL BE PERFORMED AS NEEDED AND MATERIAL REMOVED WHEN "BULGES" DEVELOP






TEMPORARY SEDIMENT POOL \_\_DEWATERING SCREEN 2'MAX DROP INLET WITH GATE STONE & BLOCK DETAIL TEMPORARY SEDIMENT POOL WIRE MESH(OPTIONAL)



THIS INLET PROTECTION STRUCTURE IS ONLY TO BE USED IN AREAS WHERE PAVEMENT HAS

- YET TO BE STABILIZED. LAY ONE BLOCK ON EACH SIDE OF THE STRUCTURE ON ITS SIDE FOR DEWATERING. FOUNDATION SHALL BE 2 INCHES MINIMUM BELOW REST OF INLET AND BLOCKS SHALL BE
- PLACED AGAINST INLET FOR SUPPORT. HARDWARE CLOTH OR 1/2" WIRE MESH SHALL BE PLACED OVER BLOCK OPENINGS TO SUPPORT STONE.
- 4. USE CLEAN STONE OR GRAVEL 1/2-3/4 INCH IN DIAMETER PLACED 2 INCHES BELOW TOP OF THE BLOCK ON A 2:1 SLOPE OR FLATTER.
- 5. FOR STONE STRUCTURES ONLY, A 1 FOOT THICK LAYER OF THE FILTER STONE WILL BE PLACED AGAINST THE 3 INCH STONE AS SHOWN ON THE DRAWINGS. 6 MAXIMUM DRAINAGE AREA 1 ACRE


#### STONE AND BLOCK DROP INLET PROTECTION N.T.S. ADAPTED FROM: NYSDEC STANDARDS & SPECIFICATIONS



SUMP PIT TO BE USED IN COORDINATION WITH ANTI-TRACKING/DECONTAMINATION PAD.

- PIT DIMENSIONS ARE OPTIONAL. THE STANDPIPE SHOULD BE CONSTRUCTED BY PERFORATING A 12-24" DIAMETER CORRUGATED
- A BASE OF 2" AGGREGATE SHOULD BE PLACED IN THE PIT TO A DEPTH OF 12". AFTER INSTALLING THE STANDPIPE, THE PIT SURROUNDING THE STANDPIPE SHOULD BE BACKFILLED WITH 2" AGGREGATE.
- THE STANDPIPE SHOULD EXTEND 12-18" ABOVE THE LIP OF THE PIT. WATER TO BE PLACED IN DOT APPROVED CONATINER FOR OFF SITE DISPOSAL

# SUMP PIT



- THIS DETAIL IS TO BE USED ONLY FOR CLEAN, TESTED MATERIAL STOCKPILING.
- AREA CHOSEN FOR SOIL STOCKPILE SHALL BE DRY AND STABLE MAXIMUM SLOPE OF SOIL STOCKPILE SHALL BE 2:1
- 5. UPON COMPLETION OF FILL MATERIAL GRADING, EACH PILE SHALL BE COVERED OR STABILIZED WITH 6. SEGREGATE CERTIFIED CLEAN MATERIALS FROM OTHER MATERIALS WHEN STOCKPILING.

PRIOR TO DISTURBING FILL MATERIAL, EACH PILE SHALL BE SURROUNDED BY SILT FENCING.

SOIL STOCKPILE DETAIL

# PARK PLACE

11 New King Street Town of North Castle, New York

11 New King Street LLC 11 New King Street, White Plains, NY





FEIS SUBMISSION

INDIVIDUAL FROM ALTERING THESE DRAWINGS AND/OR ACCOMPANYING SPECIFICATIONS IN ANY WAY, UNLESS IT IS UNDER THE DIRECT SUPERVISIO OF A LICENSED PROFESSIONAL ENGINEER. IF ALTERATIONS ARE MADE, THE ALTERING ENGINEER MUST SIGN, SEAL, DATE, AND DESCRIBE THE FULL DESCRIPTION OF THE ALTERATION ON THE DRAWING AND/OR SPECIFICATION

NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOUIT THE WRITTEN PERMISSION OF (KG&D). WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF (KG&D). WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION.

LEGAL NOTICE: ALTERATIONS BY ANY PERSON, IN ANY WAY, OF ANY ITEM CONTAINED ON THIS DOCUMENT, UNLESS ACTING UNDER THE DIRECTION OF THE LICENCED ARCHITECT WHOSE PROFESSIONAL SEAL IS AFFIXED HERETO, IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW. All rights reserved.

6 | 10-15-14 | FEIS SUBMISSION 5 | 05-30-14 | FEIS SUBMISSION

4 08-21-11 REVISION PER DEIS COMMENTS

│ 3 │01−24−11│REVISION PER DEIS COMMENTS 2 10-26-10 DEIS SUBMISSION


1 | 06-15-09 | SITE PLAN SUBMISSION Sheet Title


STANDARD

**DETAILS I** 


Job No. 2007-0632 08-25-10

As Shown Drawn/Checked JH/AM






# SIGNPOST DETAIL




NOTE: GAS, WATER, AND SANITARY SEWER PIPE REQUIRE THE COLORED TAPE AND TRACER WIRE. REFER TO THE TABLE FOR COLOR DESIGNATION.

TAF	TAPE COLOR DESIGNATION	
COLOR	UTILITY	
RED	ELECTRIC	
	GAS, OIL, DANGEROUS MATERIALS	
ORANGE	TELEPHONE, TELEGRAPH, TELEVISION, POLICE AND FIRE COMMUNICATIONS	
BLUE	WATER LINES	
GREEN	SANITARY SEWER LINES	


TYPICAL TRENCH DETAIL



SIDEWALK/ PEDESTRIAN RAMPS



SIDEWALK/ PEDESTRIAN RAMP ELEVATION




# **CONCRETE RAMP / PAD FOR EMERGENCY EXIT &** REFUSE AREA


N.T.S.

# **EXPANSION/CONTRACTION JOINT NOTES:**

CONCRETE PAVERS.

- 1. EXPANSION JOINTS SHALL BE PROVIDED AT EQUAL DISTANCES OF NO MORE THAN 20 FEET. ALL EXISTING AND PROPOSED BUILDINGS, CURBING AND EXISTING PAVEMENT JOINTS SHALL BE FILLED WITH PREFORMED EXPANSION JOINT FILLER, 1/2" THICK. THE JOINT SHALL BE RECESSED 1/4" FROM THE TOP OF THE SLAB.
- TOOLED CONTRACTION JOINTS SHALL BE PROVIDED AT EQUAL DISTANCES OF NO MORE THAN 5 FEET. JOINTS SHALL BE SPACED TO RESULT IN A NEAT AND ORDERLY ARRAY OF







#### **DETAIL NOTES:**

- 1. ANY EXCAVATION BELOW DESIRED GRADE DUE TO OVER EXCAVATION OR WET SOIL CONDITIONS SHALL BE BACKFILLED WITH  $\frac{3}{4}$ " CLEAN CRUSHED STONE. ALL SUBGRADES SHALL BE APPROVED BY THE ENGINEER PRIOR TO POURING.
- 2. EXPANSION JOINTS SHALL BE PROVIDED AT EQUAL DISTANCES OF NOT MORE THAN 20', ALL PC AND PT POINTS, AND ALL STORM SEWER INLETS. JOINTS SHALL BE FILLED WITH PREFORMED EXPANSION JOINT FILLER, ½ THICK. THE JOINT SHALL BE RECESSED <sup>1</sup>/<sub>4</sub>" FROM THE TOP AND THE FRONT OF THE CONCRETE


# 6" CONCRETE CURB




# CONCRETE CURB TRANSITION DETAIL




**BELGIAN BLOCK DETAIL** 







W-BEAM GUIDE RAIL




# TYPICAL ASPHALT PAVEMENT SECTION




# TURFSTONE DETAIL




CONCRETE PAVEMENT DETAIL





# TYPICAL STOP BAR DETAIL





**CROSSWALK DETAIL** 





### NOTE: GRASS/PLANT TYPES SHALL BE SPECIFIED BY A LANDSCAPE ARCHITECT OR LANDSCAPE DESIGNER

#### UNIT SIZE- 20" X 20" X 1" UNIT WEIGHT- 18 OZ. OR 4.5 POUNDS STRENGTH- 5720 PSI 95% MODIFIED PROCTOR DENSITY- 6 INCHES TO 12 INCHES

(DEPTH OF BASE COURSE TO BE DETERMINED BY ON-SITE ENGINEER) GRASSPAVE DETAIL INVISIBLE STRUCTURES,INC.

# PARK PLACE

11 New King Street Town of North Castle, New York

11 New King Street LLC 11 New King Street, White Plains, NY



AKRF ENGINEERING, P.C. 440 PARK AVENUE SOUTH NEW YORK, NY 10016 Tel:(212)696-0670 Fax:(212)726-0942

FEIS SUBMISSION

NEW YORK STATE EDUCATION LAW 145, SECTION 7209, PROHIBITS ANY INDIVIDUAL FROM ALTERING THESE DRAWINGS AND/OR ACCOMPANYING SPECIFICATIONS IN ANY WAY, UNLESS IT IS UNDER THE DIRECT SUPERVISIO OF A LICENSED PROFESSIONAL ENGINEER. IF ALTERATIONS ARE MADE, THE ALTERING ENGINEER MUST SIGN, SEAL, DATE, AND DESCRIBE THE FULL DESCRIPTION OF THE ALTERATION ON THE DRAWING AND/OR SPECIFICATION

NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOULT THE WRITTEN PERMISSION OF (KG&D) WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF (KG&D). WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION.

IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW.

© Copyright 2009 Kaeyer, Garment, & Davidson Architects.

All rights reserved.

6 | 10-15-14 FEIS SUBMISSION 5 05-30-14 FEIS SUBMISSION 4 | 08-21-11 REVISION PER DEIS COMMENTS


3 01-24-11 REVISION PER DEIS COMMENTS 2 10-26-10 DEIS SUBMISSION 1 | 06-15-09 | SITE PLAN SUBMISSION

Date Sheet Title

> STANDARD **DETAILS III**

Sheet No. Job No. 2007-0632 08-25-10 As Shown

Drawn/Checked JH/AM



100 YEAR STORM EL.= 379.76

\_\_\_ 1 YEAR STORM EL. = 378.23

10 YEAR STORM EL.= 378.93

OUTLET CONTROL— STRUCTURE, (TYP.)

> 12" DIA. HDPE STORMWATER PIPE—

370

PERMANENT POOL EL. = 377.5

RISER PIPE

8" DIA. UNDERDRAIN

SAND FILTER OUTLET

CONTROL STRUCTURE—

10" DIA. HDPE STORMWATER PIPE—

RIP RAP OUTLET PROTECTION, TYP.

STORMWATER FACILITY PROFILE

NOT TO SCALE

WITHIN A 1' GRAVEL BED-

PARK PLACE

11 New King Street

Town of North Castle, New York

11 New King Street LLC 11 New King Street, White Plains, NY 10604



AKRF ENGINEERING, P.C.
440 PARK AVENUE SOUTH
NEW YORK, NY 10016
Tel:(212)696-0670
Fax:(212)726-0942

FEIS SUBMISSION

NEW YORK STATE EDUCATION LAW 145, SECTION 7209, PROHIBITS ANY INDIVIDUAL FROM ALTERING THESE DRAWINGS AND/OR ACCOMPANYING SPECIFICATIONS IN ANY WAY, UNLESS IT IS UNDER THE DIRECT SUPERVISIO OF A LICENSED PROFESSIONAL ENGINEER. IF ALTERATIONS ARE MADE, THE ALTERING ENGINEER MUST SIGN, SEAL, DATE, AND DESCRIBE THE FULL

DESCRIPTION OF THE ALTERATION ON THE DRAWING AND/OR SPECIFICATIONS

NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF (KG&D).

WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION.

LEGAL NOTICE: ALTERATIONS BY ANY PERSON, IN ANY WAY, OF ANY ITEM CONTAINED ON THIS DOCUMENT, UNLESS ACTING UNDER THE DIRECTION OF THE LICENCED ARCHITECT WHOSE PROFESSIONAL SEAL IS AFFIXED HERETO, IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW.

C Copyright 2009 Kaeyer, Garment, & Davidson Architects.

All rights reserved.

6 10-15-14 FEIS SUBMISSION

5 05-30-14 FEIS SUBMISSION
4 08-21-11 REVISION PER DEIS COMMENTS
3 01-24-11 REVISION PER DEIS COMMENTS

3 01-24-11 REVISION PER DEIS COMMENTS
2 10-26-10 DEIS SUBMISSION
1 06-15-09 SITE PLAN SUBMISSION

Date eet Title

STANDARD DETAILS IV


Job No. Sheet No. 2007-0632 Date 08-25-10

As Shown

Drawn/Checked

JH/AM

C-13



PARK PLACE

11 New King Street

11 New King Street LLC 11 New King Street, White Plains, NY



NEW YORK STATE EDUCATION LAW 145, SECTION 7209, PROHIBITS ANY INDIVIDUAL FROM ALTERING THESE DRAWINGS AND/OR ACCOMPANYING SPECIFICATIONS IN ANY WAY, UNLESS IT IS UNDER THE DIRECT SUPERVISION OF A LICENSED PROFESSIONAL ENGINEER. IF ALTERATIONS ARE MADE, THE ALTERING ENGINEER MUST SIGN, SEAL, DATE, AND DESCRIBE THE FULL

NOTE: ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF KAEYER, GARMENT, & DAVIDSON ARCHITECTS, PC (KG&D), AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGE-MENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF (KG&D). WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION.

LEGAL NOTICE: ALTERATIONS BY ANY PERSON, IN ANY WAY, OF ANY ITEM CONTAINED ON THIS DOCUMENT, UNLESS ACTING UNDER THE DIRECTION OF THE LICENCED ARCHITECT WHOSE PROFESSIONAL SEAL IS AFFIXED HERETO, IS A VIOLATION OF TITLE VII, SECT. 69.5 (b) OF NEW YORK STATE LAW. © Copyright 2009 Kaeyer, Garment, & Davidson Architects.

4 | 08-21-11 REVISION PER DEIS COMMENTS

3 | 01-24-11 | REVISION PER DEIS COMMENTS 2 10-26-10 DEIS SUBMISSION 1 | 06-15-09 | SITE PLAN SUBMISSION

> STANDARD DETAILS V

